

INDEX TO VOLUME XVIII.

[New generic, specific and subspecific names are printed in heavy-faced type.]

- ACANTHIS** *cannabina*, 313.
 hornemanni exilipes, 41, 195.
 linaria, 41, 109, 195.
 linaria holbællii, 41, 195.
 linaria rostrata, 41, 195, 395.
Accipiter *atricapillus*, 37.
 atricapillus striatulus, 403.
 cooperi, 37.
 velox, 37, 233.
Acridotheres *tristis*, 387.
Actitis *macularia*, 36, 92, 272, 340.
Actodromas, 319.
Æchmoptila *albifrons*, 14.
Ægialitis *meloda*, 316.
 meloda circumcincta, 316.
 vocifera, 36, 231, 266.
 wilsonia, 79.
Aeo, 386.
Aeronautes *melanoleucus*, 234.
Æstrelata *hypoleuca*, 385.
Agamia *agami*, 25.
Agelaius *inthurmi*, 286.
 longirostris, 303.
 phæniceus, 40, 236, 267, 342.
 phæniceus caurinus, 286, 317.
 phæniceus fortis, 286, 317.
 phæniceus longirostris, 303.
 phæniceus neutralis, 286, 317.
 phæniceus sonoriensis, 303.
Agyrtria *decora*, 359.
Aithurus *polytmus*, 407.
 scitulus, 407.
Aix sponsa, 35.
Ajaia, 297.
Ajaja, 297.
Akekeke, 386.
Alae, 385.
Alauda *arvensis*, 116.
Albatross, Black-footed, 201, 384.
Alca *arctica*, 277.
Allen, Glover Morrill, see Howe,
 Reginald Heber, Jr.
Allen, J. A. In memoriam: George
 Burritt Sennett, 11-23; republica-
 tion of descriptions of new
 species and subspecies of North
 American birds, No. II, 172-185;
 the question of the generic name
 Gavia, 270.
Alopochen *ægyptiacus*, 312.
Aluco, 316.
Aluconidae, 316.
Amazilia, 301.
Amazilius *cerviniventris*, 301.
Amazona *panamensis*, 359.
 salvini, 25, 359.
 virenticeps, 359.
Amblycercus *holosericeus*, 370.
American Ornithologists' Union,
 Eighteenth Congress of, 63-67;
 Report of Committee on Protec-
 tion North American Birds, 68-
 104; Tenth Supplement to the
 American Ornithologist's Union
 Check-List of North American
 Birds, 295-320; Nineteenth Con-
 gress of, announcement, 412.
Ames, J. H., nesting of Cory's
 Bittern (*Ardetta neoxena*) and
 other notes, 106.
Amizilis, 301.
 edwardi, 28.
 fuscicaudata, 359.
 cerviniventris, 301.
 cerviniventris chalconota, 436.
 tzacatl, 301.
Ammodramus *caudacutus*, 267.
 caudacutus diversus, 269.
 halophilus, 303.
 lecontei, 129-134.
 maritimus, 117.
 maritimus sennetti, 23.
 nelsoni, 116, 268.
 princeps, 262, 267.
 rostratus halophilus, 303.
 samuelis, 304.
 sandwichensis alaudinus, 397.
 sandwichensis savanna, 42,
 267, 342.
 sandwichensis xanthophrys
 209.
 savannarum, 148, 149.

- Ammodramus savannarum passerinus*, 342.
Ampelis cedrorum, 43, 343.
 garrulus, 42.
Amphispiza belli clementæ, 313.
 belli nevadensis, 318.
 nevadensis, 318.
Anas boschas, 35, 332.
 fulvigula maculosa, 22.
 maculosa, 22, 23.
 obscura, 35, 264.
 wyvilliana, 385.
Anatidæ, 328, 331.
Ancylocheilus, 319.
Anorthura, 320.
 hiemalis, 44, 345.
 hiemalis helleri, 181, 307.
 hiemalis pacifica, 320.
 meligera, 307.
Anous stolidus, 55.
Anser albifrons gambeli, 135.
 Anthony, A. W., habits of the Gooney, 189.
Anthus pensilvanicus, 44.
 rufus parvus, 368.
 spraguei, 275.
Antrostomus, 317.
 carolinensis, 168, 359.
 vociferus, 39, 341.
Apapane, 387.
Aphelocoma californica immanis, 188.
Apos, 121.
Apus, 121.
Aquila chrysaëtos, 38, 233.
 chrysaëtos canadensis, 21.
Ara macao, 358.
Aramides cayanae chircote, 358.
Archibuteo lagopus sancti-johannis, 37, 393.
Ardea cærulea, 392.
 candidissima, 392.
 herodias, 36, 199, 265, 340.
 herodias fannini, 282, 297.
 tricolor, 373.
 wardi, 282, 315.
Ardetta exilis, 36.
 neoxena, 106.
Arenaria interpres, 298, 386.
 morinella, 173, 297.
Aristonetta, 319.
Arquatella, 319.
Arremon aurantirostris, 369.
Arremonops conirostris, 370.
Asarcia variabilis, 358.
Asio accipitrinus, 38, 164, 386.
 accipitrinus mcilhennyi, 174, 312.
Asio sandwichensis, 154.
 wilsonianus, 38, 233.
Astragalinus tristis, 41, 201, 236, 342.
Astur, 319.
Asturina ruficauda, 24.
Asyndesmus, 319.
Atthis, 320.
Attila sclateri, 365.
 Audubon Society of New York State, fifth annual meeting of, 224.
 Auk, Black-throated, 21.
 Auklet, Cassin's, 201.
 Paroquet, 104.
 Auku kohili, 385.
Auriparus flaviceps, 15.
 Australasian Ornithologists' Union, 414.
Automolus exsertus, 367.
Avocet, 75, 331.
Aythya affinis, 35.
 americana, 35, 264.
 marila, 35, 264.
 marila nearctica, 199.
 BABSON, William Arthur, notice of his 'Birds of Princeton, N. J.', 408.
 Baldpate, 333, 335.
 Bangs, Outram, birds of San Miguel Island, Panama, 23-32; a new Ground Dove from Western Mexico, 257; notice of his paper on a new Meadowlark from South America, 281; on a collection of birds made by W. W. Brown, Jr., at David and Divala, Chiriqui, 355-370; notice of papers by, on new American birds, 406, notice of his paper on birds from the Liu Kiu Islands, 407. See also Brewster, William.
 Bangs, Outram, and Bradlee, Thomas S., the resident land birds of Bermuda, 249-257.
 Barrington, Richard M., notice of his 'The Migration of Birds at Irish Light Stations,' 205.
Bartramia longicauda, 112, 358.
Basileuterus leucopygius veraguensis, 368.
 Bates, Abby F. C., Maine bird notes, 400.
 Bent, A. C., nesting habits of the *Anatidæ* in North Dakota, 328; nesting of the Rough-legged Hawk in North Dakota, 393.

- Bernicla, sp., 202.
 minima, 202.
 nigricans, 202.
- Bigelow, Henry Bryant, a Virginia record for the American Eider (*Somateria dresseri*), 189.
- Bignell, Effie, notice of her 'Mr. Chupes and Miss Jenny,' 288.
- Bird, Cedar, 343.
 Indigo, 343.
 Red, 256.
 Sultana, 386.
 Yellow-billed Tropic, 105.
- Bird Club of Princeton University, 415.
- Birtwell, Francis J., two interesting records from New Mexico, 112; description of a supposed new subspecies of *Parus* from New Mexico, 165-167; nesting habits of the Evening Grosbeak (*Coccythraustes vespertinus*), 388-391; obituary of, 413.
- Bishop, Louis B., rachitis in young Red-shouldered Hawks, 192; the European Starling in Connecticut, 194; Montana Redpolls, 195; *Acanthis linaria rostrata* and *Xanthocephalus xanthocephalus* in Connecticut, 195; deformity of maxilla in the House Sparrow, 195; the winter birds of Pea Island, North Carolina, 260-268; a new Sharp-tailed Finch from North Carolina, 269.
- Bittern, American, 36, 200, 265.
 Cory's, 106.
 Least, 36.
- Blackbird, 253.
 Brewer's, 236, 416.
 Red-winged, 40, 154, 236, 261, 331, 342.
 Rusty, 41, 154, 200, 267.
 Yellow-headed, 195, 330.
- Bluebird, 45, 249, 254, 347.
 Mountain, 238, 276.
- Boardman, George A., obituary of, 219.
- Bobolink, 40, 329, 342.
- Bob-white, 249, 250.
 Least, 47.
- Bonasa umbellus togata, 37, 340.
- Bond, Frank, Great Gray Owl in Wyoming, 107; song of the Western Meadowlark, 108.
- Bonhote, J. Lewis, on a collection of birds made by Mr. J. R. Thompson at the Cay Lobos Lighthouse Bahamas, 145-149.
- Botaurus lentiginosus, 36, 265.
- Bradlee, Thomas S., see Bangs, Outram.
- Brant, 265.
 Black, 385.
- Branta bernicla, 265.
 canadensis, 36, 265.
 nigricans, 385.
- Brewster, William, on the occurrence, in Massachusetts, of certain rare or interesting birds, 135-137; the Meadowlark (*Sturnella magna*) at Rangeley, Maine, 194; Bell's Vireo and the Sandhill Crane in New Hampshire, 274; an ornithological mystery, 321-328; nesting of the Carolina Wren (*Thryothorus ludovicianus*) in southern Massachusetts, 397.
- Brewster, William, and Bangs, Outram, notice of their paper on a new Bécard from Lower Uruguay, 281; do., on a new *Aithya* from Jamaica, 410.
- Brotogerys jugularis, 359.
- Brown, E. J., Florida bird notes, 199.
- Brown, Herbert, Bendire's Thrasher, 226-231; a Band-tailed Hawk's nest,—an Arizona incident of biographical interest, 392.
- Brown, John Clifford, obituary of, 220.
- Bryan, William Alanson, a list of the Hawaiian birds in the St. Louis College collection, Honolulu, H. I., including records of several North American species, 382-387.
- Bubo virginianus, 38, 233, 340.
 virginianus arcticus, 113.
 virginianus pallescens, 300.
 virginianus subarcticus, 38, 113, 300.
 virginianus saturatus, 38, 113.
- Bucco dysoni, 360.
- Buff-head, 35, 264, 385.
- Buri, Rud. O., notice of his paper on the anatomy and relations of the Swifts, 286.
- Bunting, Indigo, 42.
 Lark, 237, 329.
 Lazuli, 237.
 Snow, 195.

- Buteo abbreviatus*, 393.
albicaudatus, 15.
albicaudatus sennetti, 15, 23.
borealis, 37, 233.
borealis krideri, 233.
borealis umbrinus, 407.
latissimus, 37, 299.
lineatus, 37, 192.
platypterus, 218, 299.
solitarius, 163, 386.
swainsoni, 233.
Buteola, 319.
Butorides, 319.
 virescens, 25, 402.
 Butterfield, W. Ruskin, occurrence of Baird's Sandpiper in Sussex, England, 190.

CACICUS microrhynchus, 370.
 Cacky-quaw, 326.
Calamospiza melanocorys, 237.
Calcarius lapponicus, 41, 396.
 lapponicus alascensis, 396.
Calidris arenaria, 202, 266, 386.
Calospiza larvata fanny, 369.
Campophilus guatemalis buxans, 360.
Canachites canadensis, 36, 277.
 canadensis canace, 277.
 canadensis labradorius, 120, 277, 298.
 canadensis osgoodi, 298.
 Cardinal, 153, 201, 249.
 Bermuda, 256.
Cardinalis bermudianus, 256.
 cardinalis, 201.
Carduelis carduelis, 116, 255.
Carpodacus mexicana frontalis, 311.
 purpureus, 41, 201, 342.
 Cary, Merritt, occurrence of the Mexican Crossbill at Neligh, Neb., 109; birds of the Black Hills, 231-238; Nebraska University Expedition of 1901, 416.
Cassidix oryzivora mexicana, 370.
 Catbird, 44, 151, 238, 249, 345.
 Bermuda, 253.
Cathartes aura, 232, 266.
Centrocercus urophasianus, 232.
Centurus, 319.
Ceophlæus pileatus, 193.
 pileatus abieticola, 39, 340.
Cephus grylle, 92.
Cerchneis sparveria, 358.
Cercomacra crepera, 365.
 maculicaudis, 30.
Certhia familiaris americana, 308, 345.

Certhia familiaris fusca, 44, 308.
 familiaris occidentalis, 403.
 familiaris zelotes, 182, 308.
Certhiola sp.?, 148.
Ceryle alcyon, 39, 233, 340.
 amazona, 359.
 americana septentrionalis, 359.
 inda, 26.
 superciliosa stictoptera, 359.
 torquata, 26, 359.
Chætura pelagica, 39, 341.
Chamæa fasciata, 291, 292, 319.
 fasciata henshawi, 319.
 fasciata intermedia, 178, 319.
 fasciata phæa, 308.
 Chapman, Frank M., the correct name for the Florida Yellowthroat, 198; notice of his 'A Study of the Genus *Sturnella*', 212; notice of his paper on a new race of the Great Blue Heron, etc., 282; notice of his paper on new birds from Peru, 407.
Charadrius dominicus fulvus, 386.
 morinellus, 297.
 squatarola, 202.
Charitonetta, 319.
 albeola, 35, 264, 385.
Chasmorhynchus tricarunculatus, 365.
 Chat, Long-tailed, 238.
Chaulelasmus streperus, 333.
Chelidon erythrogaster, 343.
Chenalopex ægyptiacus, 312.
Chen hyperborea nivalis, 35, 264.
 rossi, 392.
 Chickadee, 45, 345.
 Barlow's, 178.
 Chestnut-backed, 403.
 Hudsonian, 45.
 Long-tailed, 238.
 Chick-choo-willio, 252.
 Chick-of-the-village, 252.
 Chicken, Mother Carey's, 105.
Chiroxiphia lanceolata, 365.
Chlorochrysa fulgentissima, 407.
Chlorodrepanis wilsoni, 387.
Chlorophanes spiza guatemalensis, 369.
Chlorospingus flavigularis parvirostris, 407.
Chlorostilbon assimilis, 28, 359.
Chondestes grammacus strigatus, 236.
Chordeiles virginianus, 39, 341.
 virginianus henryi, 234.
 virginianus sennetti, 23.

- Chroicocephalus*, 319.
 Chuck-wills-widow, 168.
Ciccaba nigrolineata, 358.
Circus hudsonius, 37, 266.
Cistothorus griseus, 311.
 marianae, 268.
 palustris griseus, 311.
Clangula clangula americana, 35.
Claravis pretiosa, 358.
 Clark, Hubert Lyman, the ptery-
 losis of *Podargus*, with notes on
 the pterylography of the Capri-
 mulgi, 167-171; the classification
 of birds, 370.
 Clarke, C. K., notes from Ontario,
 112; Ontario notes, 401.
 Clarke, Wm. Eagle, *Acanthis linaria*
rostrata in the Outer Hebrides,
 395.
Clivicola riparia, 42, 117, 343.
Coccothraustes vespertinus, 41, 388-
 391.
Coccyzus americanus, 38.
 erythrophthalmus, 39, 340.
 minor, 148.
 Cock, Chaparral, 21.
Cœreba cerinoclunis, 406.
 mexicana, 369.
 mexicana colombica, 30.
 Coggins, Herbert L., the Hermit
 Thrush on Martha's Vineyard,
 Mass., 111; the Western Savanna
 Sparrow in North Carolina, 397.
Colaptes auratus, 399.
 auratus luteus, 39, 234, 340.
 cafer, 234, 301.
 cafer collaris, 301.
 collaris, 301.
Colinus minor, 47.
 virginianus, 250.
 Collett, Robert, see Shufeldt, R. W.
Colopterus pilaris, 361.
Columba nigrirostris, 358.
 rufina, 358.
 squamosa, 299.
Columbigallina bermudiana, 250.
 rufipennis, 25, 358.
 rufipennis eluta, 258.
 passerina, 192.
Colymbus auritus, 34.
 dominicus, 296.
 dominicus brachypterus, 172,
 296.
 holbœllii, 34, 270.
 Comey, Arthur C., the Hooded
 Warbler in Massachusetts, 397.
Compsothlypis americana usnea,
 43, 343.
Contopus, 317.
 borealis, 40, 395.
 richardsonii, 234.
 richardsonii saturatus, 317.
 virens, 40, 341.
Conurus finschi, 358.
 ocularis, 359.
 Coot, American, 36, 330.
 Hawaiian, 386.
 Cormorant, Mexican, 189.
 Pelagic, 201.
Corvus americanus, 40, 155, 234,
 253, 342.
 corax principalis, 40, 108.
 hawaiiensis, 387.
Coturniculus, 319.
 Coues, Elliott, memorial of, with
 portrait, 1-11.
 Cowbird, 40, 150, 330, 342.
 Crane, Corn, 249.
 Crane, Sandhill, 36, 274.
 Whooping, 36.
 Creeper, Brown, 44, 345.
 California, 403.
 Sierra, 182, 308.
 Crossbill, 342.
 American, 41, 236.
 Mexican, 109, 236.
 White-winged, 41, 403.
Crotophaga ani, 26, 148, 360.
 sulcirostris, 15.
 Crow, 253.
 American, 40, 155, 235, 249,
 342.
 Fish, 154.
 Hawaiian, 387.
Crymophilus, 314.
 fulcarius, 271, 386.
Cryptoglaux, 193.
 acadica, 193.
 tengmalmi richardsoni, 193.
Crypturus soui modestus, 25, 356.
 Cuckoo, Black-billed, 39, 330, 340.
 Yellow-billed, 38.
 Curlew, Hudsonian, 36.
 Long-billed, 75, 232.
Cyanerpes cyaneus, 31.
 cyaneus carneipes, 369.
 lucida, 369.
Cyanocephalus cyanocephalus, 234.
Cyanocitta cristata, 40, 342.
 stelleri carbonacea, 174, 312.
 stelleri diademata, 302.
 stelleri macrolopha, 302.
Cyanocorax affinis zeledoni, 368.
 luxuosa, 292.
Cyanogarrulus diadematus, 302.
Cyanospiza cyanea, 42, 343.

- Cyclorrhynchus psittaculus*, 104.
Cygnus americanus, 21.
Cymochorea, 319.
Cypseloides niger borealis, 394.
Cypselus, 121.
 melba, 286.
Cyrtonyx massena, 291, 292.

DACNIS pulcherrimus, 286.
 ultramarinus, 369.
Dafila acuta, 35, 202, 385.
 Daniel, John W., Jr., occurrence of the Glossy Ibis at Washington, D. C., 271; nesting of the Hairy Woodpecker near Washington, D. C., 272; Bachman's Sparrow in Virginia, 273.
 Dawson, W. Leon, *Tringa solitaria cinnamomeus*—a correction, 272; additional notes on the birds of Okanogan (Chelan) County, Washington, 402.
 Deane, Ruthven, unpublished letters of William MacGillivray to John James Audubon, 239-249; manuscript of Emmons's Catalogue of Massachusetts birds, 403.
Dechonychura typica, 367.
 Delaware Valley Ornithological Club, 223; notice of 'Proceedings' of, 280.
Dendragapus obscurus, 232.
Dendrocincla anabatina, 367.
Dendrocolaptes sanctithomæ, 367.
Dendrocynna discolor, 358.
Dendroica æstiva, 43, 237, 343, 368.
 auduboni, 237.
 blackburniæ, 44, 344, 399.
 cærulescens, 43, 110, 137-142, 147, 149, 343.
 castanea, 43.
 coronata, 43, 147, 149, 344.
 coronata hooveri, 313.
 discolor, 106, 147, 149.
 maculosa, 43, 344.
 nigriifrons, 109, 306.
 palmarum, 116.
 pensylvanica, 43, 344, 369.
 striata, 147, 149, 344.
 tigrina, 147, 149.
 vieillotii, 30.
 vigorsii, 44.
 virens, 44, 344.
Dendrornis lacrymosa, 367.
 nana, 367.
 Dexter, Newton, obituary of, 413.
Dichromanassa, 319.

Diomedea nigripes, 384.
Diplopterus navius, 360.
 Dippie, G. F., Snowy Heron in Alberta, 392.
Dolichonyx oryzivorus, 40, 148, 149, 342.
 Dotterel, 297.
 Dove, Bermuda Ground, 250.
 Ground, 192, 249.
 Mourning, 37, 201, 232, 276, 330.
 Dowitcher, Long-billed, 157-160.
Dryophila boucardi, 365.
 intermedia, 30.
Dryobates borealis, 156.
 pubescens medianus, 39, 233, 340.
 villosus, 272, 340.
 villosus hyloscopus, 233.
 leucomelas, 39.
 Dubois, A., notice of Parts II-IV of his 'Synopsis Avium,' 121.
 Duck, American Scaup, 35.
 Black, 35, 264.
 Dusky, 200.
 Greater Scaup, 199.
 Hawaiian, 385.
 Lesser Scaup, 35, 333, 334, 336.
 Scaup, 264.
 Wood, 35.
 Dutcher, William, Report of the Committee on the Protection of North American Birds, 68-104.
 Dwight, Jonathan, Jr., the sequence of moults and plumages of the Laridæ (Gulls and Terns), 49-63; review of his 'Sequence of Plumages and Moults of the Passerine Birds of New York,' 114; notes on the moulting of *Spinus pinus* and of *Hirundo erythrogaster*, 203.
 Dytes, 319.

 EAGLE, Bald, 151, 267.
 Golden, 21, 38, 233.
 Northern Bald, 38.
 Eaton, Elon Howard, notice of his 'Birds of Western New York,' 212.
 Eckstorm, Mrs. Fannie Hardy, notice of her 'The Bird Book,' 209; notice of her 'The Woodpeckers,' 210.
Ectopistes migratorius, 37, 191.
 Eider, American, 189, 200.

- Eider, King, 22.
Elania pagana subpagana, 28, 363.
 placens, 30.
 sordidata, 28.
Elainea arenarum, 30.
Elanoides forficatus, 37.
 Elliot, D. G., in memoriam: Elliott Coues, 1-11.
Empidonax flaviventris, 40, 341, 363.
 minimus, 40, 235, 341, 363.
 traillii, 235, 363.
 traillii alnorum, 40, 108, 341, 347-355.
 trepidus, 47.
 virescens, 235.
Ereunetes occidentalis, 266.
 pusillus, 107.
Eucometes spodocephala, 369.
Eudomychura, 319.
Eudromias morinellus, 297.
Euphonia crassirostris, 369.
 gracilis, 369.
 luteicapilla, 369.
 xanthogastra brunneifrons, 407.
Exanthemops, 319.
FALCO columbarius, 38.
 columbarius richardsoni, 316.
 latissimus, 217.
 pennsylvanicus, 217.
 peregrinus anatum, 38.
 richardsoni, 316, 403.
 sparverius, 38, 233, 276, 340.
 wilsoni, 217.
 Farley, J. A., the Purple Gallinule in Massachusetts in the breeding season, 190; probable breeding of the Red-bellied Nuthatch near Boston, 198; the Alder Flycatcher (*Empidonax traillii alnorum*) as a summer resident of eastern Massachusetts; 347-355; Massachusetts bird notes, 398.
 Faxon, Walter, the Newfoundland Veery (*Hylocichla fuscescens fuliginosa*) in Massachusetts, 198; early editions of Wilson's Ornithology, 216-218.
 Felger, A. H., the American Cormorant in Colorado, 189.
 Finch, Grass, 155.
 Pine, 203.
 Purple, 41, 201, 342.
 Fleming, James H., a list of the birds of the Districts of Parry Sound and Muskoka, Ontario, 33-45; nesting of Cory's Bittern at Toronto, Canada, 106; European Lapwing in the Bahamas, 272; corrections to birds of Parry Sound and Muskoka, 276.
 Flicker, Northern, 39, 234, 341.
 Red-shafted, 201, 234.
Floricola superba pallidiceps, 360.
 Florida, 319.
Florisuga mellivora, 359.
 Flycatcher, Acadian, 235.
 Alder, 40, 108, 341, 347-355.
 Chancol, 47.
 Couch's Tyrant, 21.
 Crested, 39, 341.
 Fork-tailed, 21.
 Least, 40, 235, 341.
 Olive-sided, 40, 201, 395.
 Santa Barbara, 302.
 Traill's, 235.
 Vermilion, 75, 273.
 Yellow-bellied, 40, 341.
Formicarius umbrosus, 366.
 Fox, William J., the so-called cancelled fasciculus of Cassin's 'Illustrations,' 291.
Fratercula arctica, 92, 277.
 arctica naumanni, 277.
Fringilla fasciata, 304.
 frontalis, 311.
 gambelii, 303.
 melodia, 304.
Fulica alai, 386.
 americana, 36.
Fuligula, 319.
Fulmarus glacialis, 315.
 glacialis minor, 315.
 glacialis rogersi, 296.
 rogersi, 296.
 GADWALL, 333.
Galbula melanogenia, 360.
Galeoscoptes burmudianus, 253.
 carolinensis, 44, 238, 345.
Gallinago delicata, 36, 158.
 major, 316.
 media, 316.
Gallinula galeata, 36, 251.
 sandvicensis, 385.
Gallinule, Florida, 36, 249, 251.
 Hawaiian, 385.
 Purple, 190, 398.
 Gätke, Heinrich, notice of his 'Helgoland,' second German edition, 206.

- Gavia*, 270, 300.
 imber, 34, 263.
 ridibunda phaniceus, 271, 309.
- Geochelidon nilotica*, 55, 79.
- Geococcyx affinis*, 310.
 californianus, 21, 310.
 mexicanus, 310.
- Geothlypis agilis*, 116.
 formosa, 368.
 philadelphia, 44, 344.
 tolmiei, 238.
 trichas, 44, 111, 147, 197, 344.
 trichas arizella, 306.
 trichas brachydactyla, 319.
 trichas ignota, 198, 319.
 trichas occidentalis, 238.
 trichas roscoe, 197, 198, 319.
 trichas scirpicola, 407.
 trichas sinuosa, 407.
 trichas trichas, 197.
- Geotrygon montana*, 358.
- Geranospizias niger*, 358.
- Glaucidium ferrugineum*, 14.
 palmarum, 46.
 phalanoides, 14, 22.
- Godwit, Marbled, 330.
 Pacific, 386.
- Golden-eye, American, 35.
- Goldfinch, American, 41, 201, 236, 342.
 European, 249, 255.
- Gooney, 189.
- Goose, American White-fronted, 135.
 Canada, 36, 264, 412.
 Emperor, 105.
 Greater Snow, 35, 264.
 Hawaiian, 385.
 Ross's Snow, 392.
- Goshawk, American, 37.
 Western, 403.
- Gould, Alice Bache, notice of her 'Louis Agassiz,' 285.
- Grackle, Boat-tailed, 267.
 Bronzed, 41, 152, 236, 330.
 Purple, 152.
- Graculus dilophus*, 149.
 sp., 202.
- Grallaria perspicillata*, 367.
- Granatellus venustus*, 110.
- Grebe, Holboell's, 34, 270.
 Horned, 34, 200.
 Pied-billed, 34, 330.
- Grinnell, Joseph, notice of his 'Birds of the Kotzebue Sound, Region,' 119; two races of the Varied Thrush, 142-145; the Long-tailed Jay, 188; notice of his 'Record of Alaskan Birds,' etc., 209; the Monterey Hermit Thrush, 258-260; notice of his paper 'Two Races of the Red-breasted Sapsucker,' 282, notice of his paper on new California birds, 407.
- Grosbeak, Black-headed, 237.
 Cardinal, 201.
 Evening, 41, 388, 391.
 Pine, 41, 236.
 Rose-breasted, 42, 330, 343.
 Western Black-headed, 176.
- Grouse, Alaska Spruce, 298.
 Canada, 36.
 Canadian Ruffed, 37, 340.
 Dusky, 232.
 Labrador Spruce, 277, 298.
 Prairie Sharp-tailed, 232.
 Ruffed, 190.
 Sage, 232, 416.
 Sand, 211.
 Sharp-tailed, 37.
- Grus americana*, 36.
 mexicana, 36, 274.
- Guillemot, Black, 92.
- Gull, American Herring, 34, 264.
 Black-backed, 264.
 Black-headed, 79, 82.
 Bonaparte's, 56, 104, 199, 200, 264, 403.
 California, 383.
 Flood, 81.
 Franklin's, 329, 384.
 Glaucous, 200.
 Herring, 58, 90, 94, 150, 402.
 Iceland, 106.
 Kittiwake, 52, 94.
 Laughing, 79, 80, 81, 83.
 Mackerel, 82.
 Point Barrow, 383.
 Ring-billed, 35, 94, 150, 333, 384.
 Sabine's, 113, 392.
 Western, 201.
- Gymnocyclus nudiceps*, 366.
- Gymnogyps*, 299.
 californianus, 299.
- Gymnophis bicolor olivaceus*, 366.
- HABIA melanocephala*, 402.
- Hæmatopus bachmani*, 316.
 niger, 316.
 palliatus, 79, 136.

- Haliaeetus leucocephalus*, 267.
leucocephalus alascanus, 38.
Harelda hyemalis, 35, 105, 264.
Harporhynchus bendirei, 225-231.
longirostris sennetti, 23.
palmeri, 231.
rufus, 44, 238, 276.
Hartlaub, Gustav, obituary of, 219.
Hawk, American Rough-legged, 37.
American Sparrow, 38, 151, 233, 276.
Band-tailed, 392.
Broad-winged, 37, 217, 218.
Brown, 163.
Cooper's, 37.
Duck, 38.
Hawaiian, 386.
Krider's Red-tailed, 233, 330.
Marsh, 37, 151, 266, 329.
Pigeon, 38.
Red-shouldered, 37, 192.
Red-tailed, 37, 233, 249.
Rough-legged, 151, 393.
Sharp-shinned, 217, 233.
Swainson's, 233, 329.
Sparrow, 340.
Hazard, R. G., early migration of Wild Geese, 411.
Heck, L., notice of his 'Living Pictures of the Animal Kingdom,' etc., 287.
Heleodytes zonatus **restrictus**, 49.
Helminthophila bachmani, 274.
rubricapilla, 43, 343.
rubricapilla gutturalis, 403.
peregrina, 43, 369.
Helminthotherus vermivorus, 146.
Helodromas solitarius, 36.
Hemignathus affinis, 387.
procerus, 387.
Hen, Marsh, 81.
Mud, 82.
Prairie, 329.
Henninger, W. F., a new bird for the State of Ohio, 392.
Henshaw, H. W., the Yellow-billed Tropic Bird in the Hawaiian Islands, 105; birds of prey as ocean waifs, 162-165; occurrence of *Tringa maculata* and other American birds in Hawaii, 202.
Herodias, 319.
Heron, Black-crowned Night, 36, 385.
Great Blue, 36, 75, 199, 249, 265, 282, 340.
Green, 402.
Heron, Little Blue, 392.
Northwest Coast, 297.
Night, 330.
Snowy, 392.
Herrick, Francis Hobart, notice of his 'The Home Life of Wild Birds,' 287.
Hesperiphona, 319.
Hesperocichla naevia meruloides, 143, 319.
naevia naevia, 142.
Heteractitis incanus, 386.
Heteropygia, 319.
bairdi, 190.
Heterorhynchus wilsoni, 387.
Hierofalco, 319.
Himantopus knudseni, 386.
Himatione sanguinea, 387.
Hirundo erythrogastra, 42, 117, 203, 237.
erythrogastra unalaschensis, 176, 313.
unalaschensis, 177, 209, 313.
Hoffmann, Ralph, notice of his 'Common Birds; Second Series,' 123; see also, Seton-Thompson, Ernest.
Hollister, N., capture of Sabine's Gull in Wisconsin, 392.
Horizopus, 317.
richardsonii, 363.
virens, 194.
Howe, Reginald Heber, Jr., sexual difference in size in the Pectoral Sandpiper (*Tringa maculata*), 107; the breeding of the Hermit Thrush on Martha's Vineyard Island, 111; a study of the genus *Macrorhamphus*, 157-162; an additional note on the genus *Macrorhamphus*, 272; the migratory movements of the Lapland Longspurs in North America, 396.
Howe, Reginald Heber, Jr., and Allen, Glover Morrill, notice of their 'The Birds of Massachusetts,' 278.
Howell, Arthur H., a preliminary list of the summer birds of Mount Mansfield, Vermont, 337-347.
Hummingbird, Broad-tailed, 234.
Calliope, 403.
Ruby-throated, 39, 153, 199, 341.
Hunakai, 386.
Hydranassa, 319.

- Hydrochelidon nigra surinamensis*, 55.
Hydrocoleus, 320.
Hylocichla aliciae bicknelli, 345.
 aonalaschkæ, 184, 260.
 aonalaschkæ nanus, 185.
 aonalaschkæ pallasii, 45, 111, 346.
 aonalaschkæ sequoiensis, 260.
 aonalaschkæ slevini, 258.
 aonalaschkæ verecunda, 183, 319.
 fuscescens, 45, 345.
 fuscescens fuliginosa, 198, 314.
 guttata pallasii, 111.
 mustelina, 45, 345.
 ustulatus almae, 309.
 ustulatus swainsonii, 45, 238, 346.
Hylocharis eliciae, 359.
Hylophilus flavipes viridiflavus, 368.

IBIS, Glossy, 271.
Ibycter americanus, 358.
Icteria virens, 117.
 virens longicauda, 238.
Icterus bullocki, 236.
 cucullatus sennetti, 286, 317.
 galbula, 40, 236, 342, 370.
Ictinia plumbea, 25.
Iiwi, 387.
Io, 386.
Ionornis martinica, 190, 398.
Iridophanes, 286.
Iridoprocne, 320.

JAY, Blue, 40, 342.
 Canada, 40, 342.
 Coast, 174.
 Gray, 302.
 Long-tailed, 188.
 Piñon, 235, 416.
 Rocky Mountain, 235.
Job, Herbert K., the Pileated Woodpecker in Connecticut, 193; notes from the Magdalen Islands, 199.
Johnny Ho, 326.
Jordan, Barbara, obituary of, 293.
Junco aikenii, 236.
 hyemalis, 42, 268, 342.
Junco, Slate-colored, 42, 268, 342.
 White-winged, 236.

KAKAWAHIE, 387.
Kaui akialoa, 387.

Kicker, 321.
Killdeer, 36, 153, 232, 266, 330.
Kingbird, 39, 234, 341.
 Arkansas, 234, 330.
 Common, 330.
Kingfisher, Belted, 39, 152, 233, 340.
Kinglet, Golden crowned, 45, 276, 345.
 Ruby-crowned, 45, 152, 276, Sitkan, 308.
Kirkwood, Frank Coates, the Cerulean Warbler (*Dendroica cerulea*) as a summer resident in Baltimore County, Maryland, 137-142; early occurrence of the Black Scoter in Maryland and Virginia, 190.
Kite, Swallow-tailed, 37.
Kittiwake, 94.
Kitty Go, 326.
Knight, Ora W., the Wheatear not a bird of Maine, 275.
Kobbé, Wm. H., Holbæll's Grebe on San Francisco Bay, 270.
Kolea, 386.
Koloa maoli, 385.
Koloa mapu, 385.

LAGOPUS lagopus, 37.
 leucurus, 181, 298.
 leucurus altipetens, 180, 298.
Lanio melanopygius, 369.
Lanius borealis, 43, 196.
 borealis invictus, 120, 177, 313.
 ludovicianus, 43, 196, 283.
 ludovicianus excubitorides, 237.
 ludovicianus migrans, 283, 318, 343.
Lark, Desert Horned, 235.
 Horned, 40, 267.
 Prairie Horned, 40, 341.
 Sky, 249.
Larus affinis, 63.
 argentatus, 58, 314, 402.
 argentatus smithsonianus, 34, 90, 94, 100, 264, 314.
 atricilla, 57, 79, 80, 81, 82.
 barrovianus, 61, 63, 383.
 brachyrhynchus, 61, 63.
 cachinans, 63.
 californicus, 61, 383.
 canus, 61.
 delawarensis, 35, 61, 94, 384.
 franklinii, 57, 384.
 glauescens, 62, 189.

- Larus glaucus*, 61, 62.
 heermanni, 61, 292.
 hutchinsi, 62.
 kumlieni, 62, 63.
 leucopterus, 34, 61, 106.
 marinus, 61, 264.
 nelsoni, 62, 63.
 occidentalis, 61, 62.
 philadelphia, 56, 94, 104, 264, 403.
 ridibundus, 57, 58.
 schistisagus, 63.
 vegæ, 63.
Lathria unirufa, 365.
Leptotila albibrons, 14.
 rufinucha, 358.
 verreauxi, 25, 358.
Leucosticte griseonucha, 209.
 kadiaka, 175, 209, 313.
 tephrocotis, 209.
Limicola, 331.
Limonites, 320.
Limosa lapponica baueri, 386.
Lipaugus holerythrus, 365.
Longspur, Alaskan, 396.
 Chestnut-collared, 329.
 Lapland, 41, 396.
 McCown's, 329, 416.
Loomis, Leverett M., the Paroquet Auklet in California, 104; on the southern limit of the range of Bonaparte's Gull (*Larus philadelphia*), 104; the Old Squaw at San Francisco, 105; the Emperor Goose in the interior of California, 105; the Raven in Polk County, North Carolina, 108; an addition to the A. O. U. Check-List, 109; *Granatellus venustus* in Sinaloa, 110; birds observed during a steamer voyage from San Francisco to Victoria, British Columbia, 201; notice of his 'California Water Birds, No. V,' 208.
Loon, 34, 201, 263.
Lophodytes cucullatus, 35, 276, 331.
Lophophanes, 320.
 atricristatus, 15, 291, 292.
Lophortyx californica, 386.
Lophostrix stricklandi, 358.
Lowe, Willoughby P., bird notes from Pueblo County, Colorado, 276.
Loxia curvirostra bendirei, 317.
 curvirostra minor, 41, 236, 342.
Loxia curvirostra stricklandi, 109, 236.
 frontalis, 311.
 leucoptera, 41, 401, 403.
MacGILLIVRAY, William, unpublished letters of, to John James Audubon, 239-249; memorial to, 293.
MacKinlay, James, obituary of, 221.
Macrocerus pachyrhyncha, 300.
Macrorhamphus griseus, 158, 272, 316.
 griseus scolopaceus, 161, 272, 316.
Magpie, American, 40, 235.
Mailliard, Joseph, to remove fat from bird skins, 204.
Malacoptila panamensis, 360.
Malacothraupis castaneiceps, 407.
Mallard, 35, 331, 332.
Manacus aurantiaca, 365.
Mareca americana, 335.
 penelope, 135.
Martin, Purple, 42, 152, 157, 330, 399, 400.
Maui, Amakihi, 387.
McGregor, Richard C., notice of his 'List of the Land Birds of Santa Cruz County, California,' 279.
Meadowlark, 40, 108, 151, 157, 194, 267.
 Florida, 174.
 Western, 108, 236, 276, 329.
Megaquiscalus, 286, 311.
Megarhynchus pitangua, 363.
Megascops asio, 39, 340.
 asio maxwelliae, 233.
 asio trichopsis, 15.
 brasiliensis, 358.
 vermiculatus, 358.
Melanerpes chrysauchen, 360.
 erythrocephalus, 39, 234, 341, 394.
 formicivorus, 291, 292.
 seductus, 26.
 torquatus, 234.
 wagleri, 360.
Meleagris fera, 310.
 fera osceola, 310.
 gallopavo, 15.
 gallopavo ellioti, 22, 23.
 gallopavo intermedia, 15, 22, 23, 310.
 gallopavo merriami, 316.
 intermedia, 310.

- Melospiza fasciata*, 42, 117, 304.
 fasciata caurina, 318.
 fasciata clementæ, 305.
 fasciata cooperi, 318.
 fasciata graminea, 305.
 fasciata ingersolli, 318.
 fasciata juddi, 305.
 fasciata merrilli, 305.
 fasciata montana, 304.
 fasciata pusillula, 318.
 fasciata rivularis, 305.
 georgiana, 42.
 heermanni, 304.
 melodia, 268, 304, 343.
 melodia clementæ, 305.
 melodia cleonensis, 175, 318.
 melodia fallax, 304.
 melodia graminea, 305.
 melodia heermanni, 304.
 melodia judii, 305.
 melodia kenaiensis, 319.
 melodia merrilli, 305.
 melodia montana, 304.
 melodia morphna, 305.
 melodia rivularis, 305.
 melodia rufo, 305.
 melodia samuelis, 304.
 melodia sanctæ crucis, 408.
 sanaka, 175, 318.
Merganser americanus, 35.
 serrator, 35, 264, 276.
Merganser, American, 35.
 Hooded, 35, 331.
 Red-breasted, 35, 200, 264.
Merlin, Richardson's, 403.
Merriam, C. Hart, notice of his
 'The Life Zones and Areas of
 Allegany County,' Maryland, 208.
Merula grayii casius, 368.
 leucauchen, 368.
 migratoria, 45, 238, 347, 401.
 migratoria achrustera, 178,
 309.
Micrastur zonothorax, 358.
Micropallas whitneyi, 22.
Miller, James H., Brünnich's Murre
 in Lewis and Jefferson Counties,
 New York, 188.
Miller, W. D. W., breeding of the
 Alder Flycatcher (*Empidonax*
 traillii alnorum) near Plainfield,
 New Jersey, 108.
Milvulus, 193.
 forficatus, 193, 363.
 tyrannus, 193, 363.
Mina, 387.
Mionectes oleagineus, 28.
Mniotilta varia, 43, 146, 343, 369.
Mockingbird, 151, 155, 416.
Moho nobilis, 387.
Molothrus ater, 40, 342.
Momotus lessoni, 359.
Moore, Wm. H., the Loggerhead
 Shrike in New Brunswick, 196;
 New Brunswick notes, 201.
Mormon glacialis, 277.
Morris, Robert O., notice of his
 'The Birds of Springfield [Mass.]
 and Vicinity,' 279.
Motacilla leucorhoa, 309.
Murre, Brünnich's, 34, 188.
Muscicapa semiatra, 302.
Muscivora, 193.
 forficata, 194.
 regia, 193.
 tyrannus, 194.
Myiadestes townsendii, 238.
Myiarchus crinitus, 39, 341, 363.
 crinitus erythrocerus, 14, 15.
 panamensis, 30, 363.
Myiobius erythrus, 363.
 nævius, 30.
 sulphureipygus, 363.
Myiodynastes audax nobilis, 363.
Myiozetetes granadensis, 363.
 similis superciliosus, 363.
 similis texensis, 316.
 texensis, 316.
Myrmelastes intermedius, 367.
Myrmotherula menetriesii, 365.
NELSON, E. W., descriptions of five
 new birds from Mexico, 46-49.
Nene, 385.
Nesochen sandvicensis, 385.
Nettion carolinensis, 35.
 crecca, 135.
Newton, Alfred, award of Royal
 Medal to, by the Royal Society,
 223.
Night-hawk, 39, 341.
 Western, 234, 329.
Nonpareil, 75.
Norton, Arthur H., notice of his
 paper 'Birds of the Bowdoin
 College Expedition to Labrador
 in 1891,' 277.
Nucifraga columbiana, 235.
Numenius hudsonicus, 36.
Nutcracker, Clarke's, 235.
Nuthatch, Brown-headed, 156.
 Red-bellied, 198.
 Red-breasted, 45, 201, 238,
 345.

- Nuthatch, Slender-billed, 238.
White-breasted, 44, 345.
Nuttallornis, 320.
Nyctala, 193.
 acadica, 38, 233.
 tengmalmi richardsonii, 38.
Nyctanassa, 320.
 violacea, 25.
Nyctea nyctea, 38.
Nycticorax nycticorax nævius, 36,
 385.
Nyctidromus albigollis, 26, 359.
 albigollis merrilli, 21, 23.

ORERHOLSER, Harry C., *Milvulus*
 versus *Muscivora*, 193.
Oceanites oceanicus, 35, 105.
Ochthodromus, 320.
Ochthæca keaysi, 407.
Odontophorus castigatus, 356.
Oidemia deglandi, 264.
 perspicillata, 35.
Old-squaw, 35, 105, 264.
Olor, 315.
Onychorhynchus, 193.
 mexicanus, 194.
 occidentalis, 194.
 regius, 194.
 swainsoni, 194.
Onychotes gruberi, 163.
Oreomyza flammea, 387.
 newtoni, 387.
Oriole, Baltimore, 40, 236, 330, 342.
 Bullock's, 236.
Oriolus flavus, 286.
Ornismia helosa, 320.
Ornithion imberbe, 15.
 pusillum, 28, 362.
Orpheus meruloides, 143, 144.
Ortalis cinereiceps, 25, 356.
 struthopus, 406.
Orthorhynchus amazili, 301.
Ortygops, 320.
Oryzoborus funereus, 32.
Osprey, American, 38, 83.
Ostinops decumanus, 370.
Otocoris alpestris, 40, 267.
 alpestris arenicola, 235.
 alpestris praticola, 40, 277,
 341.
Oven-bird, 44, 344.
Owl, American Barn, 136.
 American Hawk, 38.
 American Long-eared, 38,
 233.
 Arctic Horned, 113.
 Barred, 38.
Owl, Burrowing, 233, 329.
 Dusky Horned, 38.
 Great Gray, 38, 107.
 Great Horned, 38, 233, 340.
 Richardson's, 38, 193.
 Rocky Mountain Screech,
 233.
 Saw-whet, 38, 193, 200, 233.
 Screech, 38, 340.
 Short-eared, 38, 164, 329, 386.
 Snowy, 38.
 Tepic Pigmy, 46.
 Texas Barred, 299.
 Western Horned, 300.
Oxyechus, 320.
 vociferus, 358.
Oyster-catcher, American, 79, 136.

PACHYRHAMPHUS cinereiventris,
 365.
 notius, 281.
Pallasicarbo, 320.
Palmer, T. S., and H. W. Olds,
 notice of their 'Laws regulating
 the transportation and sale of
 Game,' 123.
Palmer, William, the scientific
 name of the southern Yellow-
 throat, 197.
Pandion haliaëtus carolinensis, 38,
 83.
Parrot, Thick-billed, 300.
Partridge, Alaskan Spruce, 120.
 California, 386.
Parula americana, 146.
 nigrilora, 14.
Parus atricapillus, 45, 345.
 atricapillus septentrionalis,
 238.
 atricristatus castaneifrons,
 21, 23.
 bicolor texensis, 21, 23.
 carolinensis agilis, 21, 23.
 gambeli thayeri, 166, 314.
 hudsonicus, 45.
 hudsonicus evura, 319.
 hudsonicus stoneyi, 319.
 rufescens, 403.
 rufescens barlowi, 178, 314.
Passerculus, 320.
Passer domesticus, 41, 117, 195, 256.
Passerella iliaca, 42, 116.
 iliaca annectens, 318.
 iliaca fuliginosa, 318.
 iliaca insularis, 318.
 iliaca townsendi, 318.
 rufina, 305.

- Passerina amœna*, 237.
 nivalis, 41, 267.
 nivalis townsendi, 311.
 townsendi, 311.
 Peabody, P. B., nesting habits of
 Leconte's Sparrow, 129-134.
Pediæcetes phasianellus, 37.
 phasianellus campestris, 232.
Pelecanus californicus, 315.
 erythrorhynchus, 35.
 fuscus, 296.
 fuscus californicus, 315.
 occidentalis, 296.
 onocratalus occidentalis, 296.
 Pelican, American White, 35.
Pelidna, 320.
Penelope cristata, 356.
Perisoreus canadensis, 40, 342.
 canadensis capitalis, 235.
 obscurus griseus, 302.
Peteroglossus frantzii, 360.
 Petrel, Bonin, 385.
 Wilson's, 35, 105.
Petrochelidon fulva, 373.
 lunifrons, 117, 237, 318.
 pyrrhonota, 318.
Peucaea æstivalis bachmani, 273.
 ruficeps scottii, 21, 23.
 Pewee, Western Wood, 235.
 Wood, 194, 341.
Phaëthon æthereus, 105.
 americanus, 105.
 flavirostris, 149.
 lepturus, 385.
 rubricauda, 105.
Phaëthornis hyalinus, 27.
 longirostris, 359.
 longirostris susurrans, 406.
Phalacrocorax auritus, 315.
 bicristatus, 315.
 dilophus, 101, 315.
 mexicanus, 189.
 pelagicus, 315.
 pelagicus robustus, 315.
 urile, 315.
 vigna mexicanus, 315.
Phalænoptilus nuttallii, 234.
Phalarope, Northern, 201.
 Red, 271, 386.
 Wilson's, 330.
Phasianus mexicanus, 310.
 torquatus, 386.
 Pheasant, Ring-necked, 386.
 Philacte canagica, 105.
Philohela minor, 36, 158.
 Phœbe, 39, 234, 341.
 Say's, 234.
 Phœbe, Western Black, 301.
 Phæbetria, 320.
Phænicothraupis littoralis, 48.
Piaya cayana thermophila, 360.
Pica, 121.
Pica pica hudsonica, 40, 235.
Picicorvus, 320.
Picoides americanus, 39.
 americanus alascensis, 300.
 americanus bacatus, 312.
 americanus fasciatus, 300.
 americanus labradorius, 312.
 arcticus, 39, 234.
 arcticus tenuirostris, 317.
Picolaptes lineaticeps, 367.
Picumnus granadensis, 361.
Picus, 121.
 Pigeon, Passenger, 37, 191.
 Wild, 191.
Pinicola enucleator canadensis, 41,
 236.
 Pintail, 35, 202, 331, 332, 333, 385.
Pionopsittacus hæmatotis, 359.
Pionus menstruus rubrigularis, 359.
Pipilo erythrophthalmus, 42, 236.
 fuscus carolæ, 306.
 maculatus arcticus, 237.
 maculatus atratus, 306.
 maculatus falcifer, 176, 313.
 Pipit, American, 44, 150, 153, 201.
 Sprague's, 275.
Pipra leucorrhœa, 364.
 mentalis ignifera, 363.
 velutina, 363.
Piranga erythromelas, 42, 343.
 ludoviciana, 237.
 rubra, 273, 369.
Pitangus derbianus, 15.
Platyrrhynchus superciliaris, 361.
Plectrophenax nivalis, 195.
Plegadis autumnalis, 271.
 falcinellus, 148.
 Plover, Black-bellied, 202, 266.
 Golden, 331.
 Pacific Golden, 386.
 Wilson's, 79.
 Podargus, pterylosis of, 167-171.
 gigas, 170.
 Podasocys, 320.
Podilymbus podiceps, 34.
Polioptila bilineata, 368.
 Pollard, Evelyn H., notice of her
 'Birds of my Parish,' 207.
Poæcetes gramineus, 42, 155, 342.
 gramineus confinis, 236.
 Poor-will, 234.
Porphyrio melanotus, 386.

- Porzana coturniculus*, 316.
 noveboracensis, 107.
Preble, Edward A., notice of his
 'The Summer Birds of Western
 Maryland,' 208.
Proctopus, 320.
Proganula palmeri, 385.
Progne subis, 117, 399, 400.
Protonotaria citrea, 369.
Psaltiriparus lloydii, 21.
Pseudagelaius, 286.
Pseudogryphus, 299.
Pseuduria, 320.
Psiloscops, 320.
Psittaciostrota psittacea, 387.
Ptarmigan, Southern White-tailed,
 180, 298.
 White-tailed, 180.
Willow, 37, 120.
Publications received, 124, 213, 289,
 409.
Pueo, 386.
Puffin, Arctic, 92.
 Tufted, 201.
Puffinus auduboni, 189.
 griseus, 315.
 major, 105.
 stricklandi, 315.
Pycraft, W. P., notice of his memoir
 on the Morphology of the Casso-
 waries, etc., 405.
Pyrocephalus rubineus mexicanus,
 273.

QUAIL, 250.
Querquedula discors, 35, 232.
Quiscalus, 286, 311.
 major, 267.
 quiscula æneus, 41, 236.

RAIL, Clapper, 22, 79, 80, 81, 83,
 136, 265.
 Carolina, 326.
 King, 326.
 Laysan, 385.
 Little Black, 326.
 Sora, 217, 330.
 Virginia, 217, 265, 326, 330.
 Wayne's Clapper, 265.
 Yellow, 107.
Rallus carolinus, 217.
 crepitans, 79, 80, 81, 82, 83,
 136, 265, 315.
 crepitans waynei, 265, 297,
 373.
 longirostris, 22.
 longirostris caribæus, 22.

Rallus longirostris crepitans, 315.
 longirostris saturatus, 313.
 longirostris scottii, 22, 23.
 scottii, 315.
 virginianus, 36, 217, 265.
Ralph, W. L., notice of his contin-
 uation of 'Life Histories of North
 American Birds,' 294.
Raven, Northern, 40.
Redhead, 35, 264.
Redpoll, 41, 195.
 Greater, 41, 195.
 Hoary, 41, 195.
 Holbæll's, 41, 195.
 Mealy, 395.
Redstart, 344.
 American, 44, 238.
Regulus calendula, 45, 276.
 calendula grinnelli, 308.
 satrapa, 45, 276, 345.
Rhamphastos tocar, 360.
Rhamphocelus dimidiatus, 369.
 limatus, 31.
 passerinii, 369.
Rhodacanthis palmeri, 387.
Rhodenocichla rosea, 368.
Rhynchocyclus æquinoctialis, 363.
Rhynchops nigra, 403.
Rhynchopsitta, 300.
 pachyrhyncha, 300.
Richmond, Charles W., new name
 for *Nyctala*, 193.
Ridgway, Audubon Whelock, obitu-
 ary of, 221.
Ridgway, Robert, notice of his
 'New Birds of the Families Tana-
 gridæ and Icteridæ, 286.
Rissa tridactyla, 52, 57, 94, 310.
 tridactyla pollicaris, 310.
Rives, William C., Audubon's
 Shearwater (*Puffinus auduboni*)
 on the coast of Virginia, 189.
Robbins, Reginald C., Mother
 Carey's Chicken, 105; Maryland
 Yellow-throat at sea, 110; Ruffed
 Grouse in snow, 190.
Robin, American, 45, 238, 347, 401.
 Southern, 309.
Rodostethia rosea, 57.
Rough-leg, Ferruginous, 329.
Rupornis ruficauda, 358.
Rynchops nigra, 79, 81.

SAGE, John H., Eighteenth Con-
 gress of the American Ornithol-
 ogists' Union, 63-67.
Salpinctes obsoletus, 238, 276.

- Salpinctes obsoletus pulverius*, 319.
Saltator albicollis isthmicus, 32.
 intermedius, 369.
Sanderling, 202, 266, 386.
Sandpiper, Baird's, 190, 402.
 Bartramian, 112, 329.
 Least, 199, 266.
 Pectoral, 107, 158, 202, 331.
 Purple, 107.
 Red-backed, 266.
 Semipalmated, 331.
 Sharp-tailed, 386.
 Solitary, 36, 112.
 Spotted, 36, 92, 112, 272, 340.
 Western, 266.
 White-rumped, 331.
Sapsucker, Red-breasted, 282.
 Yellow-bellied, 39, 152, 340.
Sayornis nigricans semiatra, 301.
 phæbe, 39, 234, 341.
 saya, 234.
 saya yukonensis, 312.
Saxicola ænanthe, 45, 186, 209, 275, 281.
 ænanthe leucorhoa, 186, 281, 309.
Scaphidurus, 286, 311.
Scolecophagus carolinus, 41, 267.
 cyancephalus, 236.
Scops asio enano, 14.
 brasiliensis, 25.
Scoter, Black, 190.
 Surf, 35.
 White-winged, 264, 336.
Scotiaptex cinerea, 38, 107.
Scotothorus verapacis, 365.
Sea-dottrel, 173.
Seiurus aurocapillus, 44, 147, 149, 344, 368.
 noveboracensis, 30, 44, 147, 149.
Selasphorus platycercus, 234.
Séleys-Longschamps, Baron Edmond de, obituary of, 219, 292.
Selous, Edmund, notice of his 'Bird Watching,' 408.
Sennett, George Burritt, memorial of, with portrait, 11-23.
Seton-Thompson, Ernest, and Hoffmann, Ralph, notice of their 'Bird Portraits,' 284.
Setophaga ruticilla, 44, 148, 149, 238, 344, 402.
Sharpe, R. Bowdler, notice of the second volume of his 'Hand List of the Genera and Species of Birds,' 120.
Shattuck, Geo. C., notes from northern New York, 199.
Shearwater, Audubon's, 189.
 Dark-bodied, 201.
 Pink-footed, 201.
Shelley, G. E., notice of his 'Birds of Africa,' 122.
Shoveller, 35, 331, 332, 385.
Shrike, Loggerhead, 43, 196.
 Migrant, 343.
 Northern, 43.
 Northwestern, 177.
 White-rumped, 237.
Shufeldt, Percy W., the occurrence of the Ground Dove in Virginia, 192.
Shufeldt, R. W., notice of his translation of Collett's 'Morphology of the Cranium and the Auricular Openings in the North-European Species of the Family Strigidae,' 207; notice of recent contributions by, to our knowledge of the osteology of birds, 211; notice of his 'Osteology of the Herodiones,' 281.
Sialia arctica, 238, 276.
 sialis, 45, 254, 347.
Siskin, Pine, 41, 154, 203, 236, 342.
Sitta canadensis, 45, 198, 238, 345.
 carolinensis, 44, 345.
 carolinensis aculeata, 238.
Skimmer, Black, 75, 79.
Smith, Hugh M., Snow Bunting at sea, 195.
Snipe, English, 249.
 Wilson's, 36, 158.
Snowflake, 41, 267.
Solitaire, Townsend's, 238.
Somateria dresseri, 189.
 mollissima, 310.
 mollissima borealis, 310.
 spectabilis, 22.
Sparrow, Bachman's, 273.
 Baird's, 329.
 Chipping, 42, 151, 236, 342.
 Clay-colored, 236, 330.
 English, 152.
 Field, 42, 153, 342.
 Fox, 42.
 Grasshopper, 342.
 House, 41, 195, 249, 256.
 Ipswich, 21, 262, 267.
 Lagoon, 303.
 Leconte's, 129-134.
 Mendocino Song, 175.
 Nelson's, 268.

- Sparrow, Sandwich, 201.
Savanna, 42, 267, 342.
Sharp-tailed, 267.
Song, 42, 154, 268, 343.
Southern Sharp-tailed, 269.
Swamp, 42, 153.
Tree, 42.
Vesper, 42, 342.
Western Lark, 236, 416.
Western Savanna, 329, 397.
Western Vesper, 236, 329.
White-crowned, 42.
White-throated, 42, 152, 342.
Sparrivus platypterus, 217, 299.
Spatula clypeata, 35, 358, 385.
Speotyto cunicularia hypogæa, 233, 358.
Spermophila moreleti, 15.
Sphyrapicus ruber, 282.
varius, 39, 340.
varius daggetti, 282.
varius ruber, 282.
Spinus pinus, 41, 154, 203, 236, 342.
Spizella monticola, 42.
pallida, 236.
pusilla, 42, 342.
socialis, 42, 236, 342.
Sporophila aurita, 370.
Squatarola squatarola, 266.
Stejneger, Leonhard, the two races of *Saxicola ænanthe*, 186, 187; notice of his paper on the North American Wheatears, 280.
Stelgidopteryx ruficollis, 407.
ruficollis æqualis, 407.
ruficollis fulvipennis, 407.
ruficollis uropygialis, 368.
serripennis, 117, 403.
uropygialis, 407.
Stellula calliope, 403.
Sterna anæsthesia, 55.
antillarum, 55, 80, 81, 82.
caspia, 55.
dougalli, 55, 85.
elegans, 55.
forsteri, 55.
fuliginosa, 55.
havelli, 56.
hirundo, 54, 78, 79, 80, 81, 82, 83, 85, 90.
lunata, 384.
maxima, 55, 56, 79.
paradisæa, 52, 55, 90.
pikei, 56.
portlandica, 52.
sandwichensis acuflava, 55.
Stilt, Hawaiian, 386.
Stone, Witmer, sequence of plumages in the Black-throated Blue Warbler, 110; notice of his paper 'On Moults and Alleged Colour Change in Birds,' 284.
Strigida, 316.
Striker, Big, 81, 82.
Little, 81, 82.
Strix, 316.
Strong, R. M., notice of his 'A Quantitative Study of Variation in the Smaller North American Shrikes,' 283.
Sturnella ludoviciana, 310.
magna, 40, 194, 267, 317.
magna argutula, 174, 317.
magna hoopesi, 317.
magna inexpectata, 370.
magna mexicana, 317.
magna neglecta, 109, 236, 276, 311, 317.
magna paralis, 281.
meridionalis, 281.
Sturnus vulgaris, 117, 194.
Sublegatus arenarum, 30, 363.
glaber, 30.
Sula fiber, 149.
Surnia ulula, 316.
ulula caparoch, 38.
ulula doliata, 316.
Swallow, Alaskan, 176.
Bank, 42.
Barn, 42, 200, 203, 237, 343.
Cliff, 237.
Eave, 373.
Rough-winged, 403.
Tree, 42, 200, 237.
White-bellied, 150, 199.
Swallow roosts, 400.
Swan, Whistling, 21.
Swift, Black, 394.
Chimney, 341.
White-throated, 234, 416.
Sylvania canadensis, 44.
Sylvia roscoe, 197, 198.
Symphemia semipalmata, 79, 80, 81, 82, 83.
semipalmata inornata, 310.
semipalmata speculifera, 310.
Synthliborhamphus antiquus, 21.
Syrnium nebulosum, 38.
nebulosum helveolum, 299.
TACHYCINETA albilinea, 368.
bicolor, 42, 199.
Tachypetes aquilus, 149.
Tachyphonus nitidissimus, 369.

- Tachytriorchis, 320.
 Talpacotia rufipennis, 257.
 Tanager, Louisiana, 237, 416.
 Scarlet, 42, 343.
 Summer, 273.
 Tabasco Ant, 48.
 Tanagra cana diaconus, 32, 369.
 Tatler, Wandering, 386.
 Tchitrea mutata, 193.
 paradisi, 193.
 Teal, Blue-winged, 35, 200, 232, 332.
 European, 135.
 Green-winged, 35.
 Telmatodytes, 320.
 Terenura xanthogastra, 407.
 Tern, Arctic, 52.
 Black, 75, 330.
 Common, 54, 78, 79, 82, 83-
 90, 333.
 Gull-billed, 79.
 Least, 75.
 Roseate, 85, 90.
 Royal, 79.
 Wilson's, 75, 85-90.
 Thaluranian columbica venusta, 360.
 Thamnophilus doliatus, 366.
 doliatus nigricristatus, 30.
 punctatus, 366.
 transandeanus, 366.
 Thrasher, Bendire's, 225-231.
 Brown, 44, 151, 153, 238.
 Thrush, Alma's, 309.
 Bicknell's, 338, 345.
 Coast Hermit, 183.
 Hermit, 45, 111, 154, 216, 346.
 Monterey Hermit, 258.
 Olive-backed, 45, 238, 346.
 Varied, 142.
 Wilson's, 45, 345.
 Wood, 45, 216, 345.
 Thryomanes bewickii calophonus,
 307.
 bewickii charienturus, 307.
 bewickii cryptus, 306.
 bewickii drymæcus, 314.
 bewickii eremophilus, 313.
 bewickii leucophrys, 311.
 bewickii nesophilus, 314.
 leucophrys, 311.
 Thryophilus modestus 368.
 rufalbus castanonotus, 368.
 Thryothorus cerroensis, 314.
 fasciiventris melanogaster,
 368.
 ludovicianus, 397.
 ludovicianus lomitensis, 22,
 23.
 Tinamus castaneiceps, 356.
 Tit, Tufted, 157.
 Todirostrum cinereum, 361.
 Todus regius, 193.
 Torrey, Bradford, *Piranga rubra* in
 Massachusetts, 273; notice of his
 'Everyday Birds,' 279; *Melan-
 erpes erythrocephalus* breeding
 near Boston, 394.
 Totanus melanoleucus, 36, 209, 266.
 solitarius, 112.
 Towhee, 151, 153, 236.
 Arctic, 237.
 Northern Brown, 306.
 San Diego, 306.
 Tringa acuminata, 386.
 alpina pacifica, 266.
 bairdii, 402.
 maculata, 107, 158, 202.
 minutilla, 199, 266.
 morinella, 173, 297.
 solitarius cinnamomea, 272.
 Trochilus colubris, 39, 341.
 tzacatl, 301.
 violajugulum, 301.
 Troglodytes ædon, 22, 44, 345.
 ædon aztecus, 238, 402.
 inquietus, 368.
 Trogon atricollis tenellus, 360.
 bairdi, 360.
 caligatus, 360.
 massena, 360.
 Turdus auduboni, 260.
 aureus, 144.
 minor, 184, 185.
 nævius, 144.
 nanus, 184, 185.
 pallasii, 186.
 Turkey, Wild, 404.
 Turnstone, 173, 331, 386.
 Ruddy, 173, 297.
 Turtle-dove, Chinese, 386.
 Turtur chinensis, 386.
 Tyranniscus parvus, 362.
 Tyrannulus reguloides, 362.
 Tyrannus griseus, 148.
 melancholicus couchi, 21.
 melancholicus satrapa, 30,
 363.
 tyrannus, 30, 39, 234, 341.
 verticalis, 234.
 ULALA, 387.
 Ulili, 386.
 Uria lomvia, 34, 188, 199, 209.
 troile, 209.
 troile californica, 209.

- VEERY, Newfoundland, 198.
 Veniliornis ceciliae, 360.
 Vestiaria coccinea, 387.
 Vireo bellii, 274.
 bermudianus, 252.
 calidris, 148, 149.
 chivi agilis, 30.
 flavifrons, 43, 368.
 gilvus, 43, 343.
 gilvus swainsoni, 237.
 olivaceus, 43, 148, 149, 237, 343.
 philadelphicus, 43.
 solitarius, 43, 343.
 solitarius plumbeus, 237.
 Vireo, Bell's 274.
 Bermuda White-eyed, 252.
 Blue-headed, 43.
 Philadelphia, 43.
 Plumbeous, 237.
 Red-eyed, 43, 237, 343.
 Solitary, 338, 343.
 Warbling, 43, 343.
 Western Warbling, 237, 416.
 Yellow-throated, 43.
 Volatinia jacarini splendens, 32, 370.
 Vrooman, A. G., discovery of the egg of the Black Swift, 394.
 Vultur californianus, 299.
 Vulture, Black, 150, 153.
 Turkey, 150, 153, 232, 266.
 WARBLER, Audubon's, 237.
 Bachman's, 274.
 Bay-breasted, 43.
 Black and White, 43, 343.
 Blackburnian, 44, 344, 399.
 Black-fronted, 109, 306.
 Black-poll, 344.
 Black-throated Blue, 43, 110, 343.
 Black-throated Green, 44, 344.
 Calaveras, 403.
 Canadian, 44, 344.
 Cerulean, 137-142.
 Chestnut-sided, 43, 344.
 Hooded, 397.
 Macgillivray's, 238.
 Magnolia, 43, 344.
 Mourning, 44, 338, 344.
 Myrtle, 43, 344.
 Nashville, 43, 343.
 Northern Parula, 43.
 Parula, 343.
 Pine, 44, 156.
 Prairie, 106.
 Tennessee, 43.
 Townsend's, 201.
 Yellow, 43, 201, 236, 330, 343.
 Yellow-rump, 151, 152.
 Wilson's, 44, 201.
 Ward, G. C. Tremaine, the Passenger Pigeon, 192.
 Water-ouzel, 373.
 Water-Thrush, 44.
 Waxwing, Bohemian, 42, Cedar, 42.
 Wayne, Arthur T., the Red Phalarope (*Crymophilus fulicarius*) on the coast of South Carolina, 271; Bachman's Warbler (*Helminthophila bachmani*) rediscovered near Charleston, S. C., 274; Sprague's Pipit (*Anthus spragueii*) again on the coast of South Carolina, 275.
 Wheatear, 45, 186, 249, 275, 280, Greenland, 309.
 Whip-poor-will, 39, 341.
 Wide-awake, Gray, 384.
 Widgeon, European, 135.
 Widmann, O., a visit to Audubon's birthplace, 150-157.
 Willet, 75, 79, 80, 81.
 Western, 330.
 Williams, R. W., Jr., the Vermilion Flycatcher in Florida, 273.
 Wilsonia canadensis, 344.
 mitrata, 397.
 Woodcock, American, 36, 158.
 Woodpecker, American Three-toed, 39.
 Arctic Three-toed, 39, 233.
 Cabanis's, 233.
 Downy, 39, 157, 233, 340.
 Hairy, 157, 272, 340.
 Ivory-billed, 280.
 Lewis's, 233.
 Northern Hairy, 39.
 Northern Pileated, 39, 340.
 Pileated, 193.
 Red-bellied, 157, 341, 404.
 Red-cockaded, 156.
 Red-headed, 39, 233, 394.
 Yellow-bellied, 39.
 Worthington, W. W., a rare record for eastern New York, 395.
 Wren, Aleutian, 307.
 Berlandier's, 22.
 Bewick's, 151, 152.
 Carolina, 151, 152, 397.
 House, 22, 44, 153, 345.

- Wren, Kadiak Winter, 181, 307.
 Long-billed Marsh, 331.
 Marian's Marsh, 268.
 Rock, 238, 276.
 Tabasco, 49.
 Western House, 238, 330.
 Winter, 44, 153, 345.
- Wren-tit, Coast, 308.
 Intermediate, 178.
- XANTHOCEPHALUS xanthocephalus,
 195.
- Xanthoura luxuosa, 302.
 luxuosa glaucescens, 302.
- Xema sabinii, 57, 113, 392.
- Xenops genibarbis, 368.
- YELLOW-LEGS, 331,
 Greater, 36, 266.
- Yellow-legs, Lesser, 200.
- Yellow-throat, Florida, 198.
 Maryland, 44, 110, 112, 151,
 344.
 Southern, 197.
 Western, 238.
- ZAMELODIA ludoviciana, 42, 343.
 melanocephala, 237, 402.
 melanocephala microrhyn-
 cha, 176, 313.
- Zarhynchus wagleri, 370.
- Zenaidura macroura, 37, 232, 276,
 358.
- Zonotrichia albicollis, 42, 342.
 fallax, 304.
 leucophrys, 42.
 leucophrys gambellii, 303.
 leucophrys intermedia, 303.
 leucophrys nuttalli, 303.

ERRATA.

- Page 45, line 1 at top, for '*Sitta carolinensis*' read *Sitta canadensis*.
 Page 45, line 12 from top, for '*mustelinus*' read *mustelina*.
 Page 126, line 6 from bottom, for 'published' read publish.
 Page 190, lines 9 and 12, for 'Hartet' read Hartert.
 Page 190, line 15, for 'November' read October.
 Page 193, line 9 from top, for 'Bowdish' read Bowdich.
 Page 283, line 6 from top, for '174' read 294.
 Page 283, line 15 from top, for 'Bradley and Milton' read Milton
 Bradley.
 Page 284, line 10 from top, for 'prolificness. In' read prolificness in.
 Page 289, line 3 from bottom, for 'Bowlder' read Bowdler.
 Page 297, line 11 from top, '210.1' should read 211b.
 Page 301, lines 6-9 from bottom should read:
439. *Amizilis cerviniventris chalconota* (OBERH.).
Amazilia cerviniventris chalconota OBERHOLSER, Auk, XV, Jan.
 1898, 32.
Amazilis cerviniventris chalconota OBERHOLSER, Proc. Acad. Nat.
 Sci. Phila. 1899, 208.
- Page 308, line 11 from top, for No. '736' read 726.

